

● PRINTER RUSH ●
(PTO ASSISTANCE)

Application :	10/051492	Examiner :	Bui
From:	NKB	Location:	● IDC FMF FDC
		Date: 1-5-06	
		Tracking #: 06118120-2 Week Date: 6-20-07	

DOC CODE <input checked="" type="checkbox"/> 1449 <input type="checkbox"/> IDS <input type="checkbox"/> CLM <input type="checkbox"/> IIFW <input type="checkbox"/> SRFW <input type="checkbox"/> DRW <input type="checkbox"/> OATH <input type="checkbox"/> 312 <input type="checkbox"/> SPEC	DOC DATE 11-17-04	MISCELLANEOUS <input type="checkbox"/> Continuing Data <input type="checkbox"/> Foreign Priority <input type="checkbox"/> Document Legibility <input type="checkbox"/> Fees <input type="checkbox"/> Other
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1/95
 2 0 1 2
 2/1/95

[RUSH] MESSAGE:	Please provide correct entry for U.S. Ref. No. 5,332,259 1-1995 Phillips et al. Pat. No. does not match date and name.
------------------------	------------------------------------------------------------------------------------------------------------------------------

Thank you,
 NKB

[XRUSH] RESPONSE:	Please disregard this reference. The Applicant gave wrong reference number! Please see page 4/5 (paper 11/17/04) attached! Thank you
--------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------

1/8
 VB

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04